

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of	)	
	)	
Stephanie EDMUNDS et al.	)	Group Art Unit: 1797
	)	
Application No.: 10/559,969	)	Examiner: Peter A Hruskoci
	)	
Filed: April 18, 2006	)	Confirmation No.: 6436
	)	
For: TREATMENT OF SEWAGE SLUDGE	)	

**STATEMENT OF SUBSTANCE OF INTERVIEW**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

On March 3, 2009, the Examiner conducted an interview with Applicants' undersigned representative regarding the Terminal Disclaimers filed in the above-identified application.

As noted in the Examiner's Interview Summary, issued on March 11, 2009, the Examiner's supervisor - Duane Smith - indicated in the interview that the Notice of Non-Compliant mailed February 23, 2009 would be withdrawn.


Should the Office disagree with Applicants' assessment, as articulated above, the Office is invited to clarify the record in this regard.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Date: March 27, 2009

By:

  
Shruti S. Costales  
Registration No. 53,666

**Customer No. 21839**  
P.O. Box 1404  
Alexandria, VA 22313-1404  
703 836 6609